

Message

From: Corr, Elizabeth [Corr.Elizabeth@epa.gov]
Sent: 12/11/2018 7:09:47 PM
To: rogers, rick [rogers.rick@epa.gov]
CC: Crumlish, Karen [Crumlish.Karen@epa.gov]
Subject: urgent -- FW: GenX Fact sheet
Attachments: 11.12 review draft AdminHearing_GenXandPFBS_rev_OPPT_v2 (002).docx

How does Region 3 want to address OPPTS's comment – pls see the attached:

Is this test information made available to the public? Is the testing happening on a regular basis (i.e., continuously monitored)? If so, may want to note that EPA is working to ensure that the public is kept informed of developments as they occur.

Elizabeth Corr
Associate Director, Drinking Water Protection Division
Office of Ground Water and Drinking Water
U.S. Environmental Protection Agency
Washington, D.C.
Office Phone: 202-564-3798
EPA Cell: 202-380-6829

From: Corr, Elizabeth
Sent: Tuesday, December 11, 2018 1:53 PM
To: Lalley, Cara <Lalley.Cara@epa.gov>
Subject: GenX Fact sheet

Will need to resolve OPPT's public information comment with Region 3.

Elizabeth Corr
Associate Director, Drinking Water Protection Division
Office of Ground Water and Drinking Water
U.S. Environmental Protection Agency
Washington, D.C.
Office Phone: 202-564-3798
EPA Cell: 202-380-6829